

# Penetrating oil

MULTIPURPOSE PENETRATING FLUID

500001/04.19

Rev. 2

## **DESCRIPTION & APPLICATIONS**

PENETRATING OIL is a multi-purpose penetrating fluid.

PENETRATING OIL releases rusted or seized screws, nuts, bolts, springs, hinges, locks, chain links; as well as metal components in automotive and industrial equipment.

Other applications are cleaning parts before lubrication and as a light lubricant and rust inhibitor.

PENETRATING OIL is also applied for loosening tar, grease, dirt and other carbon deposits. It avoids and prevents squeaking and creaking and does not negatively affect metal parts.

## **ADVANTAGES**

- Excellent penetrating and wetting power.
- Fights against corrosion.
- Dissolves rust, lubricates and repels humidity.
- Non aggressive to most materials.
- Leaves a protective film.
- User friendly.

## **PACKAGING**

- Available in white metal sprays of 500 ML.
- Double ball valve for multi-position use.
- Delivered with 2 spray nozzles : 1 short and 1 long (100mm)

# Penetrating oil

## ENVIRONMENT, HEALTH & SAFETY

Inflammable ! Do not expose at temperatures above 50°C.

Please consult also the Safety Data Sheet about how to manipulate and to stock the product as well as to learn about the first aid measurements in case of accident.

Elimination after use has to be made in conformity with the local rules in force about used sprays disposal.

Throw away only if completely empty.

Keep out reach of children.

Propulsion gas (propane-butane) with no ozone depletion potential.

Shelf date: 3 years.

## PROPERTIES

CHARACTERISTICS	UNITS	METHODS	TYPICAL DATA
Specific gravity at 20°C	kg/m <sup>3</sup>	NFT 60101	789
Auto ignition temperature	°C	ASTM D659	270
Flash point	°C	NFT 60118	40
Solubility in water	-	-	None

*The average values are given for information only and ...*